

Fluorescent Work Lights

Cordless Fluorescent Work Lights



PLR-13



B-R13

PRO Δ REEL™ ELECTRONIX™ Cordless Fluorescent Work Light			
Part	Description	Rep. Bulbs Rep. Lens	Max Rating
PLR-13	Rechargeable 13W fluorescent task light with NiMH battery pack. Unique battery port with low voltage indicator.	PLC-2 189680	7.2V
B-R13	Rechargeable battery pack (designed for use with PLR-13).	-	7.2V

Corded Fluorescent Work Lights



UPX-15G



UPH-15G

PRO Δ REEL™ ELECTRONIX™ Fluorescent Work Lights					
Part	Description	Rep. Bulbs Rep. Lens	Cord Length	Wire Gauge/ Cord Type	Max Rating
UPX-15G	Grounded outlet, on-off switch and power on indicator light built into handle. Adjustable front and rear hanging hooks and 360° rotating magnet mounting clip allows lamp to cling to most metal surfaces. 13W fluorescent lamp.	PLC-3 189387	15 ft.	16/3 SJT	1625W 13A 125V
UPH-15G	Grounded outlet, on-off switch and power on indicator light built into handle. Adjustable front and rear hanging hooks and 360° rotating magnet mounting clip allows lamp to cling to most metal surfaces. 13W fluorescent lamp and 12W halogen spot lamp.	PLC-3 & 189196 189338	15 ft.	16/3 SJT	1625W 13A 125V

Corded Fluorescent Work Lights



**EPL-15
EPL-50**



8F-25



15F-25



PRO LITE™ PROFESSIONAL Fluorescent Work Lights

Part	Description	Rep. Bulbs Rep. Lens	Cord Length	Wire Gauge/ Cord Type	Max Rating
EPL-15	Ballast and on-off switch built in handle; polycarbonate lens with 270° arc of light; shatter resistant housing; 360° adjustable hanging hook.	189194 188108	15 ft.	18/2 SJT	13W .350A 125V
EPL-50	Same as EPL-6 but with 50 ft. cord.	189194 188108	50 ft.	18/2 SJT	13W .350A 125V
EPL-25NS	Same as EPL-15 but with 25 ft. cord and no switch.	189194 188108	25 ft.	18/2 SJT	13W .350A 125V
8F-25	On-off switch in handle; plug in ballast; shatter resistant housing; non-glare reflector; 360° swivel hanging hook and 8W lamp.	188116	25 ft.	18/2 SJT	8W .185A 125V
15F-25	On-off switch in handle. Plug in ballast. Shatter resistant housing. Non-glare reflector. 360° swivel hanging hook. 2 additional hooks for horizontal hanging.	189195	25 ft.	18/2 SJT	15W .350A 125V



SF815



SF1415



PRO LITE™ PROFESSIONAL Fluorescent Work Lights

Part	Description	Rep. Bulbs Rep. Lens	Cord Length	Wire Gauge/ Cord Type	Max Rating
SF815	8W fluorescent work light, electronic ballast, on-off switch, shatter resistant housing, non-glare reflector, foldable top and bottom hanging hook swivel 360°, top and bottom shock cushions.	189685	15 ft.	18/2 SJT	14W .160A 125V
SF1415	14W fluorescent work light, electronic ballast, on-off switch, shatter resistant housing, non-glare reflector, foldable top and bottom hanging swivel 360°, top and bottom shock cushions.	189687	15 ft.	18/2 SJT	14W .160A 125V

Fluorescent Work Lights

Corded Fluorescent Work Lights

UPL-25G
UPL-50G



15FG-25



QPL-8



PRO_Δ LITE™ Professional Fluorescent Work Lights

Part	Description	Outlet	Bulb	Cord Length	Wire Gauge/ Cord Type	Max Rating
UPL-25G	Grounded outlet, ballast and on-off switch built in handle. Adjustable hanging hook. 360° rotating magnet clings to most metal surfaces.	1 x Grounded outlet	189194 188108	25 ft.	16/3 SJT	1625W 13A 125V
UPL-50G	Grounded outlet, ballast and on-off switch built in handle. Adjustable hanging hook. 360° rotating magnet clings to most metal surfaces.	1 x Grounded outlet	189194 188108	50 ft.	16/3 SJT	1625W 13A 125V
15FG-25	Grounded outlet, ballast and on-off switch built in handle. Adjustable front and rear hanging hooks. 2 adjustable mounting stands. Non-glare reflector.	1 x Grounded outlet	189195 188101	25 ft.	16/3 SJT	1625W 13A 125V
QPL-8	2 on-off switches, adjustable free standing base, built in hanging hook swivels 360°.	N/A	4 x PLC-3 189192	8 ft.	18/2 SPT	125V

‡Display tray pack packaging

DPL-25G



QXL-25G



PRO_Δ LITE™ INDUSTRIAL Fluorescent Work Lights

Part	Description	Rep. Bulbs Rep. Lens	Cord Length	Wire Gauge/ Cord Type	Max Rating
DPL-25G	Individual on-off switches, adjustable front and rear hanging hooks, magnet clip.	2 x PLC-3 189176	25 ft.	16/3 SJT	1625W 13A 125V
QXL-25G	26 Watt fluorescent PL type lamp with on-off switch and outlet in handle. Includes 2 multi-position hooks, removable rotating magnet, and the bulb replacement requires no tools.	PLC-4 L-9	25 ft.	16/3 SJT	1625W 13A 125V

Fluorescent Work Lights on Reels

13RPL-20E



13RPL-40E



15RF-40



PRO REEL™ Fluorescent Work Light Cord Reel

Part	Description	Rep. Bulbs Rep. Lens	Cord Length	Wire Gauge/ Cord Type	Max Rating
13RPL-20E	Retractable cord reel with durable shatter resistant reel and lamp housing. Plug in ballast, on-off switch built into handle. Adjustable hanging hook.	189194	20 ft.	18/2 SVT	13W .350A 125V
13RPL-40	Retractable cord reel, on-off switch and ballast built into lamp handle. Adjustable hanging hook. Powder coated metal reel housing.	189194	40 ft.	18/2 SVT	13W .350A 125V
15RF-40	Powder coated steel cord reel with on-off switch in handle. Plug in ballast, shatter resistant lamp housing. Non glare reflector. Hanging hook swivels 360°. Remains cool in use.	189195	40 ft.	18/2 SJT	15W .305A 125V

5000-40PL-SSP*



13RF-30GR



26RPL-30G-CB



5030AQ



PRO REEL™ Professional Fluorescent Work Light Cord Reel

Part	Description	Outlet	Bulb	Cord Length	Wire Gauge/ Cord Type	Max Rating
5000-40PL-SSP	Powder coated steel reel with auto switching feature. Shatter resistant lamp housing. 360° swivel hanging hook. ‡	n/a	189194 188108	40 ft.	18/2 SJT	13W .305A 125V
13RF-30GR	Powder coated steel reel housing. Ballast and on-off switch built in handle. 360° adjustable hanging hook. Polycarbonate lens with 270° arc of light. Adjustable magnet mounting clip adheres to most metal surfaces.	Built-in	189194 188108	30 ft.	16/3 SJT	1250W 10A 125V
26RPL-30G-CB	Retractable cord reel with rugged powder coated steel housing reel. Dual 13W fluorescent worklight. Lamps are independently controlled by two switches. Adjustable top and bottom hanging hooks and magnet clip.	Built-in with circuit breaker	PLC-3 189176	30 ft.	16/3 SJTW	1250W 10A 125V
5030AQ	Powder coated steel reel with a 26W fluorescent PL type lamp. 2 multi-position hooks, no tool bulb replacement, removable rotating magnet.	Built-in	PLC-4 L-9	30 ft.	16/3 SJT	1200W 10A 120V

‡For safety code compliance the reel must be mounted a minimum of 12' above the floor and the cord and lamp head must be supported so they cannot reach 8" above the floor

Fluorescent Work Lights on Reels



8050A-FL



8050AQ



PRO Δ REEL™ Industrial Fluorescent Work Light Cord Reel

Part	Description	Outlet	Bulb	Cord Length	Wire Gauge/ Cord Type	Max Rating
8050A-FL	Individual on-off switches, adjustable front and rear hanging hooks, magnet clip. Heavy duty industrial grade reel housing. Quick release bracket.	Built-in	2 x PLC-3 189176	50 ft.	16/3 SVT	1125W 9A 125V
8050AQ	26 Watt fluorescent PL type lamp with on-off switch; outlet built into handle on a industrial grade reel housing. Includes a quick release mounting bracket, carrying handle, two multi-position hanging hooks, removable rotating magnet. Bulb replacement requires no tools.	Built-in	PLC-4 199035	50 ft.	16/3 SJT	1200W 10A 120V



3230EF



3225UFC



PRO Δ REEL™ DURATRAC Fluorescent Work Light Cord Reel

Part	Description	Outlet	Bulb	Cord Length	Wire Gauge/ Cord Type	Max Rating
3230EF	Retractable cord reel with rugged powder coated steel housing reel with 13W fluorescent work light, on-off switch, 360° swivel hanging hook, polycarbonate lens with 270° arc of light.	N/A	189194	30 ft.	18/2 SJT	13W .350A 125V
3225UFC	Retractable cord reel with rugged powder coated steel housing reel with 13W fluorescent circuit breaker work light, on-off switch, 360° top hanging swivel hook, removable/adjustable magnet clip adheres to most metal surfaces.	1 x built-in circuit breaker	189194	25 ft.	16/3 SJT	1250W 10A 125V

Halogen Work Lights



HR-15



HC-20

12
volt



PRO Δ LITE™ Halogen Work Lights

Part	Description	Replacement Bulb	Cord Length	Wire Gauge/ Cord Type	Max Rating
HR-15	90° swivel head, 360° adjustable hanging hook, on-off switch built into handle, compact design.	189197	15 ft.	18/2 SJT	20W .17A 125V
HC-20	Same as the HR-15, with 20 ft. cord and 12V automotive plug.	189197	20 ft.	18/2 SVT	20W 12V DC