

Cord Reels & Extension Cords

Retractable Cord Reels



PRO REEL™ DURATRAC Rechargeable Cord Reels

Part	Description	Outlet	Cord Length	Wire Gauge/ Cord Type	Max Rating
3225ATC	Retractable cord reel with rugged powder coated steel housing reel.	3 x built-in circuit breaker	25 ft.	16/3 SJT	1200W 10A 125V
3525AC	Retractable portable power cord reel, 4 overload protected outlets, circuit breaker, illuminated 'power on' indicator and carry handle.	4 x built-in circuit breaker	25 ft.	16/3 SJT	1250W 10A 125V

5000A-30GF

5000A-30GF-CB
5000M-30GF-CB

8040T-P
8050M-P

8040T-PS



PRO REEL™ Extension Cord Reels

Part	Description	Outlet	Cord Length	Wire Gauge/ Cord Type	Max Rating
5000A-30GF	Powder coated metal retractable cord reel housing. Three grounded outlets.	3 x built-in w/circuit breaker	30 ft.	16/3 SJT	1250W 10A 125V
5000A-30GF-CB	Powder coated metal retractable cord reel housing, power block and with tri-tap outlet.	3 x built-in w/circuit breaker	30 ft.	16/3 SJT	1250W 10A 125V
5000M-30GF-CB	Powder coated metal retractable cord reel housing, power block and with tri-tap outlet.	3 x built-in w/circuit breaker	30 ft.	14/3 SJT	1625W 13A 125V
8040T-P	Heavy duty industrial grade reel housing. Quick release mounting bracket. Convenient carrying handle. Power block.	3 x built-in w/circuit breaker	40 ft.	12/3 SJTW	1875W 15A 125V
8050M-P	Heavy duty industrial grade reel housing. Quick release mounting bracket. Convenient carrying handle. Power block.	3 x built-in w/circuit breaker	50 ft.	14/3 SJTW	1625W 13A 125V
8040T-PS	Same as 8040T-P except comes with clear power block with neon power on indicator and outdoor all-weather cord.	3 x built-in w/circuit breaker	40 ft.	12/3 SJTOW	1875W 15A 125V

Manual Cord Reels



NEW

7100CC

Heavy duty portable wind-up reel, tubular steel base and ergonomic non-conductive carry handle, adjustable clutch nut to adjust reel friction, wire guide. Holds up to 100 ft SO 12/3 extension cords. Also holds & dispenses cable, wire, rope, tubing and hose.



NEW

7100HD

Heavy duty portable wind-up reel with 4 NEMA 5-20R outlets, amp circuit breaker and illuminated power ON indicator. Tubular steel base and ergonomic non-conductive carry handle, adjustable clutch nut to adjust reel friction, wire guide. Holds up to 100 ft. 12/3 SO extension cords.

Heavy Duty Portable Cord Reels

Part	Description
7100CC	HD Portable Wind-up Reel. Stores up to 100 ft. SO 12/3 extension cords, or cable, wire, rope, tubing, hose.
7100HD	HD Portable wind up reel with 4 NEMA 5-20R outlets, 15 amp circuit breaker and power on indicator. Holds up to 100 ft. 12/3 SO extension cord.



6000-25G

7080M



**7140A
7140M**



9100HT

(cord not included)



PRO REEL™ Extension Cord Reels

Part	Description	Outlet	Cord Length	Wire Gauge/ Cord Type	Max Rating
6000-25G	Portable wind-up multi-plug reel, convenient carrying handle.	4 x built-in w/circuit breaker	25 ft.	16/3 SJT	1250W 10A 125V
7080M	Powder coated steel reel with 4 outlets built-in to reel housing.	4 x built-in w/circuit breaker	80 ft.	14/3 SJTW	1250W 10A 125V
7140M	Portable power cord reel, illuminated power-on indicator.	4 x built-in w/circuit breaker	40 ft.	14/3 SJTW	1250W 10A 125V
7140A	Same as 7140M with 14/3 SJTW cord.	4 x built-in w/circuit breaker	40 ft.	16/3 SJTW	1625W 13A 125V
9100HT	Heavy duty portable power cord reel, super strong steel tubular construction. Built-in 15 amp circuit breaker, 4 NEMA 5-2 or receptacles. Accepts 15 amp or 20 amp plugs. Illuminated power on indicator. Holds 100 ft. of 12/3 or 10/3 cord sets.	4 x built-in w/circuit breaker		Cord not included	1875W 15A 125V



500-WR



7000-WR

WRAP-N-CARRY

WRAP-N-CARRY™ PRO REEL™ Cord Reels

Part	Description
500-WR	Stores up to 100 ft. of 16/3 electrical cord. Built in storage compartments in each end of cord tender. May also be used for storage of rope, wire, yarn, etc.
7000-WR	Stores up to 100 ft. of 12/3, 125 ft. of 14/3, 150 ft. of 16/3, electrical cord. May be mounted on wall with brackets included. May also be used for storage of rope, air hose, etc. (cord not included)

Portable Ground Fault Circuit Interrupters



4115-6GF



4215-6GF



GFT-2T



6000-20G-GF



SHOCK STOPPER™ Extension Cord Reels

Part	Description	Cord Length	Wire Gauge/ Cord Type	Max Rating
4115-6GF	2 protected outlets.	6 ft.	12/3 SJTW	1875W 15A 125V
4215-6GF	4 protected outlets.	6 ft.	12/3 SJTW	1875W 15A 125V
GFT-2T	GFCI protected plug along with circuit breaker protected power block.	2 ft.	12/3 SJTW	2500W 15A 125V
6000-20G-GF	Ground fault circuit protected portable outlet reel, rugged thermoplastic enclosure, 2 grounded outlets, OSHA.	20 ft.	14/3 SJTW	1250W 10A 125V

5-20R Receptacle Retractable Cord Reels



Heavy duty 20 ft. retractable extension cord reels with rugged powder coated steel housing, 15 amp resettable circuit breaker protected 5-515P plug, and 5-20R grounded outlet with power "ON" indicator light. 20 ft. SJTOW oil resistant & cold weather flexible 12/3 cord, 30" pigtail. Max 125 Volts, 1875 watts, 15 amps. Wall or ceiling mount with included brackets.



5020TFC
• Single outlet



5020TF-4C
• Four outlet



PRO REEL™ Industrial 5-20R Receptacle Retractable Cord Reels

Part	Description	Cord Length	Wire Gauge/ Cord Type	Max Rating
5020TFC	Single outlet 5-20R receptacle retractable cord reel.	20 ft.	12/3 SJTOW	125V 1875W 15A
5020TF-4C	Four outlet 5-20R receptacle retractable cord reel.	20 ft.	12/3 SJTOW	125V 1875W 15A

Retractable Data Reels



20 ft. retractable data reels with retractable, tangle free compact cable storage, rugged powder coated reel with 7.5" – 9" mounting bracket. Meets stringent specifications to lessen crosstalk and system noise. Mounts horizontally or vertically. Hardware and instructions included.



MCC2201
• UL/CSA listed CAT6 cable with RJ46 modular plugs



MCU2201
• UL/CSA listed USB 2.0 cable with male type A plugs. Male type A to type B adaptor included.

PRO REEL™ Industrial Retractable Cord Reels

Part	Cord Length	Wire Gauge/ Cord Type
MCC2201	20 ft.	CAT6
MCU2201	20 ft.	USB 2.0

Extension Cords—Indoor



**WC-625
WC-650
WC-6100**



**WC-425
WC-450
WC-4100**



**WC-225
WC-250
WC-2100**

WRAP-N-CARRY™

WRAP-N-CARRY™ Indoor Extension Cords

Part	Description	Outlet	Cord Length	Wire Gauge/ Cord Type	Max Rating
WC-625	25 ft. of 16/3 indoor/outdoor cord.	Single	25 ft.	16/3 SJTW	1625W 13A 125V
WC-650	50 ft. of 16/3 indoor/outdoor cord.	Single	50 ft.	16/3 SJTW	1625W 13A 125V
WC-6100	100 ft. of 16/3 indoor/outdoor cord.	Single	100 ft.	16/3 SJTW	1250W 10A 125V
WC-425	25 ft. of 14/3 heavy duty indoor/outdoor cord.	Single	25 ft.	14/3 SJTW	1875W 15A 125V
WC-450	50 ft. of 14/3 heavy duty indoor/outdoor cord.	Single	50 ft.	14/3 SJTW	1875W 15A 125V
WC-4100	100 ft. of 14/3 heavy duty indoor/outdoor cord.	Single	100 ft.	14/3 SJTW	1625W 13A 125V
WCT-225	25 ft. of 12/3 extra heavy duty indoor/outdoor cord.	Triple	25 ft.	12/3 SJTW	1875W 15A 125V
WCT-250	50 ft. of 12/3 extra heavy duty indoor/outdoor cord.	Triple	50 ft.	12/3 SJTW	1875W 15A 125V
WCT-2100	100 ft. of 12/3 extra heavy duty indoor/outdoor cord.	Triple	100 ft.	12/3 SJTW	1875W 15A 125V

Extension Cords—Outdoor



CS-25A



CST-6M

PROTECTOR

*UL specified, not CUL

PROTECTOR™ Outlet Outdoor Extension Cords

Part	Description	Outlet	Cord Length	Wire Gauge/ Cord Type	Max Rating
CS-25A	25 feet of 16/3 cord.	Single	25 ft.	16/3 SJTW	1625W 13A 125V
CS-50A	50 feet of 16/3 cord.	Single	50 ft.	16/3 SJTW	1625W 13A 125V
CS-100A	100 feet of 16/3 cord.	Single	100 ft.	16/3 SJTW	1250W 10A 125V
CS-25M	25 feet of 14/3 cord.	Single	50 ft.	14/3 SJTW	1875W 15A 125V
CS-50M	50 feet of 14/3 cord.	Single	25 ft.	14/3 SJTW	1875W 15A 125V
CS-25T	50 feet of 12/3 cord.	Single	50 ft.	12/3 SJTW	1875W 15A 125V
CS-50T	50 feet of 12/3 cord.	Single	50 ft.	12/3 SJTW	1875W 15A 125V
CST-6M	6 feet of 14/3 cord.	Triple	6 ft.	14/3 SJTW	1875W 15A 125V
CST-25M	25 feet of 14/3 cord.	Triple	25 ft.	14/3 SJTW	1875W 15A 125V
CST-50M	50 feet of 14/3 cord.	Triple	50 ft.	14/3 SJTW	1875W 15A 125V
CST-6T	6 feet of 12/3 cord.	Triple	6 ft.	12/3 SJTW	1875W 15A 125V
CST-25T	25 feet of 12/3 cord.	Triple	25 ft.	12/3 SJTW	1875W 15A 125V
CST-50T	50 feet of 12/3 cord.	Triple	50 ft.	12/3 SJTW	1875W 15A 125V
CST-100T	100 feet of 12/3 cord.	Triple	100 ft.	12/3 SJTW	1875W 15A 125V