


Switches

Toggle Switches Light, Medium, Heavy-Duty



Part #65058



Part #65072



Part #65012



Part #65020



Part #65210

Item #	Duty	Position Type	Terminal		Rating	Handle			
			Type	#		Type	Color	Pole	Throw
65075	Light	ON-OFF	Screw	2	35 amp @ 6V; 20 amp @ 12V	Bat	Chrome	Single	Single
65072	Light	OFF-ON	Screw	2	6 amp @ 125 volts; 3 amp @ 250 volts	Bat	Nickel	Single	Single
65073	Light	OFF-ON	Leads*	2	6 amp @ 125 volts; 3 amp @ 250 volts	Bat	Nickel	Single	Single
65046	Medium	ON-OFF	Screw	2	20 amp @ 12VDC	Standard	Chrome	Single	Single
65047	Medium	ON-OFF	Blade	2	20 amp @ 12VDC	Standard	Chrome	Single	Single
65048	Medium	ON-MOM. OFF	Screw	2	20 amp @ 12VDC	Long	Chrome	Single	Single
65049	Medium	MOM. ON -OFF	Screw	2	20 amp @ 12VDC	Standard	Chrome	Single	Single
65054	Medium	ON-ON	Screw	3	20 amp @ 12VDC	Standard	Chrome	Single	Double
65055	Medium	ON-OFF-ON	Screw	3	20 amp @ 12VDC	Standard	Chrome	Single	Double
65056	Medium	ON-OFF-ON	Blade	3	20 amp @ 12VDC	Standard	Chrome	Single	Double
65057	Medium	MOM. ON-OFF-MOM. ON	Screw	3	20 amp @ 12VDC	Standard	Chrome	Single	Double
65058	Medium	ON-OFF	Screw	4	20 amp @ 12VDC	Standard	Chrome	Double	Single
65059	Medium	ON-OFF	Blade	4	20 amp @ 12VDC	Standard	Chrome	Double	Single
65064	Medium	ON-ON	Screw	6	20 amp @ 12VDC	Standard	Chrome	Double	Double
65065	Medium	ON-OFF-ON	Screw	6	20 amp @ 12VDC	Standard	Chrome	Double	Double
65066	Medium	ON-OFF-ON	Blade	6	20 amp @ 12VDC	Standard	Chrome	Double	Double
65067	Medium	MOM. ON-OFF-MOM. ON	Screw	6	20 amp @ 12VDC	Standard	Chrome	Double	Double
65012	Heavy	ON-OFF	Screw	2	50 amp @ 6-24volts	Standard	Black	Single	Single
65030	Heavy	ON-OFF	Screw	2	50 amp @ 6-24volts	Standard	Chrome	Single	Single
65031	Heavy	ON-OFF	Screw	2	50 amp @ 6-24volts	Long	Chrome	Single	Single
65033	Heavy	ON-OFF	Blade	2	30 amp @ 6-24volts	Standard	Chrome	Single	Single
65020	Heavy	MOM. ON-OFF-MOM. ON	Screw	3	50 amp @ 6-24volts	Long	Chrome	Single	Double
65032	Heavy	MOM. ON-OFF-MOM. ON	Screw	3	50 amp @ 6-24volts	Standard	Chrome	Single	Double
65034	Heavy	ON-OFF-ON	Screw	3	50 amp @ 6-24volts	Standard	Chrome	Single	Double
65210	X-Heavy	ON-ON	Blade	6	10 amp @ 277V; 20 amp @ 125V	Bat	Nickel	Single	Single

*Part #65073 includes two 6" leads.

See pg. 40 for Toggle Switch Accessories.



Part #65100



Part #65120

Nylon Handle (with & without light)



Part #65103



Part #65114

Item #	Position Type	Terminal		Rating	Handle			
		#	Type		Style	Color	Pole	Throw
65100	ON-OFF	2	Screw	35 amp @ 12VDC	Decorator	Black	Single	Single
65101	ON-OFF	2	Blade	35 amp @ 12VDC	Bat	Black	Single	Single
65102	ON-OFF	2	Screw	20 amp @ 12VDC	Decorator	w/light	Single	Single
65103	ON-OFF	4	Screw	20 amp @ 12VDC	Decorator	w/light	Single	Single
65104	MOM. ON-OFF-MOM. ON	3	Screw	35 amp @ 12VDC	Decorator	Black	Single	Double
65105	MOM. ON-OFF-MOM. ON	3	Blade	35 amp @ 12VDC	Decorator	Black	Single	Double
65106	ON-OFF-ON	5	Blade	20 amp @ 12VDC	Decorator	w/light	Single	Double
65107	ON-OFF-ON	5	Blade	20 amp @ 12VDC	Decorator	w/light	Single	Double
65114	ON-OFF-ON	6	Screw	35 amp @ 12VDC	Bat	Black	Double	Double
65115	ON-OFF-ON	6	Blade	35 amp @ 12VDC	Decorator	Black	Double	Double
65116	MOM. ON-OFF-MOM. ON	6	Screw	35 amp @ 12VDC	Decorator	Black	Double	Double
65117	MOM. ON-OFF-MOM. ON	6	Blade	35 amp @ 12VDC	Bat	Black	Double	Double
65120	ON-OFF	2	Blade	20 amp @ 12VDC	Duckbill	Black	Single	Single
65121	ON-OFF	3	Blade	20 amp @ 12VDC	Duckbill	Black	Single	Single



Part #65131 (without light)

Rocker Type Switches

Snap in place mounting fits 0.830" x 1.45" cut out.
Panel thickness from 0.093" to 0.187"



Part #65134 (with light)

Item #	Position	Terminal		Rating	Actuator Color	Pole	Throw
	Type	Type	#				
65130	ON-OFF	Screw	2	20 amp @ 12VDC	Black	Single	Single
65131	ON-OFF	Blade	2	20 amp @ 12VDC	Black	Single	Single
65132	MOM. ON-OFF	Screw	2	20 amp @ 12VDC	Black	Single	Single
65133	MOM. ON-OFF	Blade	2	20 amp @ 12VDC	Black	Single	Single
65134	ON-OFF	Screw	3	20 amp @ 12VDC	Red Pilot Light	Single	Single
65135	ON-OFF	Blade	3	20 amp @ 12VDC	Red Pilot Light	Single	Single
65136	ON-OFF	Screw	3	20 amp @ 12VDC	Green Pilot Light	Single	Single
65137	ON-OFF	Screw	3	20 amp @ 12VDC	Amber Pilot Light	Single	Single

Push/Pull 'Truck Heater' Type Switches



Part #65007



Part #65013



Part #65084



Part #65017



Part #65002

Item #	Duty	Position Type	Terminal		Knob	Rating	Mounting Stem
			#	Type			
65007	Medium	OFF-ON	2	Screw	Ivory Plastic	15 a @ 12V	5/8" long, 7/16" diameter
65013	Medium	OFF-ON	2	Screw	Chrome	25 amp @ 6VDC, 15ams at 12VDC	5/8" long 1/2" diameter
65084	Heavy	OFF-ON-ON	5	Screw	Ivory Plastic	12V (includes 15amp fuse)	1/2" long, 7/16" diameter
65009	Heavy	OFF-ON-ON	5	Screw	Ivory Plastic	30 amp @ 6V, 15 a @ 12V	5/8" long with 7/16" diameter
65002	Extra Heavy	OFF-ON	2	Screw	Chrome, Red, or Blue	75 amp @ 6-28VDC	5/8" long with 15/32" diameter
65017	Truck Heater	OFF-HI-LO	2	Screw	Ivory Plastic	15 amp @ 12V	5/8" long with 7/16" diameter

Specialty Switches

Heavy Duty Weatherproof Combination Ignition/Starter Switch Part #65207



Two brass keys included with 1-1/8" mounting nut with rubber cap to protect against moisture.

Four positions: Left-accessories
Centre-off
Right-accessories & ignition
Extreme right-start

Rating: Continuous 45 amp @ 12 V. extra Heavy duty for 6, 12 & 24 VDC

Mounting Stem: Length: 7/16" (11 mm)
Diameter: 3/4" (19 mm)

Universal Solenoid Starter Switch Part #65209

Insulated two-screw terminals.

Rating: 25 amp @ 6 volts DC
15 amp @ 12 volts DC

Mounting Stem: Diameter: 5/8" (16 mm)



Precision Ball Switch Part #65300

(N.O. - Normally On) Exposed terms.

Rating: 0.421"/0.416" free position
0.406"/0.391" make break

Mounting Stem: Diameter: 5/8" (16 mm)



Toggle Switch Accessories

Toggle Boot

Part #65001

EPDM rubber boot with 15/32-32 thread. Provides protection against salt spray and is resistant to weather and ozone. Can be used on toggle switches with 15/32" diameter mounting stem.



Face Plate

Part #65000

Universal 'on-off' face plate. Can be used on toggle switches with 15/32" diameter mounting stem.



Trailer Connectors

Heavy Duty 7-Pole Connector Zinc Die-Cast Housing

Socket

Part #64025

7-pole connector socket (wire inspection style) split pin two hole mount.



Replacement Part

Part #64066

7-pole socket interior for part #64025 socket.



Accessories (Boot)

Part #64071

Flexible rubber boot to provide weather-proof protection at rear of 7-pole socket (not shown).



Plugs

Part #64062

7-pole connector plug with cable protector.



Plugs

Part #64026

7-pole connector plug.



Replacement Part

Part #64054

7-pole socket interior for part #64026 and #64062 plugs.



Glass-Filled Nylon Housing

Socket

Part #64030

7-pole connector plug.



Plugs

Part #64031

7-pole connector plug with cable protector.



Part #64032

7-pole connector 'weather-beater' plug with cable protector.

Replacement Part

Part #64033

Socket solid pin 7-way (wire insertion type).



Heavy Duty 6-Pole Connectors

Socket

Part #64009

6-pole connector socket.



Replacement Part

Part #64010

6-pole socket interior for part #64009 socket.



Accessories (Boot)

Part #64074

Flexible rubber boot to provide weather-proof protection at rear of 6-pole socket (not shown).



Plugs

Part #64013

6-pole connector plug with cable protector.



Part #64011

6-pole connector 'weather-beater' plug with cable protector (not shown).

Complete Assembly

#64015

6-pole trailer connector socket and plug assembly for part #64009 and #64011.



#64018

Plug with cable protector (64013) and socket (64009) assembly (not shown).

Replacement Part

#64012

6-pole plug interior for part #64011 and #64013 plug.



Heavy-Duty 4-Pole Connectors

Design conceals and protects connectors against road splash dirt, etc.

Four pole connector socket

Part #64020



Four-pole connector plug

Part #64021



Complete Assembly

Part #64019


Part #64020 and #64021 (not shown).

Medium Duty 4-Pole Connectors

Chrome-plated die cast housing, spring loaded cover and brass contacts.

Four-pole connector socket

Part #64016



Four-pole connector plug

Part #64017

