

TRACERLINE®



PROFESSIONAL OEM-INSTALLED

UV DYES

FOR LEAK DETECTION
HEAVY-DUTY & FLEET

TRUSTED & INSTALLED IN OVER 350M+ VEHICLES



CATERPILLAR®



FREIGHTLINER



INTERNATIONAL



KENWORTH



Engineered
for EV, Hybrid
& Next-Gen
Systems



ISO 9001:2015
CERTIFIED COMPANY

TRACER PRODUCTS

EV & HYBRID A/C DYE

oem
GRADE

BRIGHTER
DYE
PERFORMANCE

CO-SOLVENT
FREE



NEXT-GEN Dyes

Electrically-driven A/C compressors require compatible leak detection dyes



Tested Extensively

Tracer Products manufactures electric and hybrid fluorescent dyes with OEM-grade A/C oil



Completely Compatible

Safe for use in EV/Hybrid A/C systems. Compatible with R-1234yf & R-134a refrigerants and POE, PAG, and Ester oils.



EV POE-Based **NEW!** Mini-EZ™ A/C Leak Detection Kit

Professional-grade kit for leak detection in POE-based hybrid and EV A/C systems. Includes UV dye optimized for high-voltage compressors and premium tools for fast, accurate service.

TPOPUV20EV*

- ▶ **TPOPUV** OPTI-PRO™ UV cordless, violet light LED leak detection flashlight
- ▶ **TP9815EV-P3*** (3) 0.25 oz (7 ml) Mini-EZ™ EV/POE dye cartridges – services **3 vehicles**
- ▶ **TP9845** EZ-Ject™ dye injector assembly
- ▶ **TP9813** R-134a coupler (brass, check valve, EV/Hybrid)
- ▶ **TP28** R-1234yf coupler (brass, check valve, EV/Hybrid)
- ▶ **TP19** 2 oz (60 ml) spray bottle of GLO-AWAY™ Plus fluorescent dye cleaner

*Compatible with Hybrid Vehicles



SERVICES
UP TO
3



EV POE-Based **NEW!** Mini-EZ™ A/C Injection Kit

- ▶ Fast and economical way to add leak detection dye to an electric vehicle's A/C system

Product No.	Description
TP9815EV-P3*	(3) 0.25 oz (7 ml) Mini-EZ™ EV/POE dye cartridges – services 3 vehicles
TP9815EV-P12*	(12) 0.25 oz (7 ml) Mini-EZ™ EV/POE dye cartridges – services 12 vehicles
TP9814EV-BX*	<ul style="list-style-type: none"> ▶ TP9815EV-P3 (3) Mini-EZ™ EV/POE dye cartridges – services 3 vehicles ▶ TP9845 EZ-Ject™ injector assembly ▶ TP9813 R-134a coupler (brass, check valve, EV/Hybrid) ▶ TP28 R-1234yf coupler (brass, check valve, EV/Hybrid)

*Compatible with Hybrid Vehicles



SERVICES
UP TO
3

EV POE-Based A/C Oil **NEW!**

Product No.	Description
TP100EV-5*	5 oz (148 ml) foil pouch Viscosity: 84 cSt

*Compatible with Hybrid Vehicles



EV POE-Based A/C Oil + UV Dye **NEW!**

Product No.	Description
TP100EVD-5*	5 oz (148 ml) foil pouch Viscosity: 84 cSt

*Compatible with Hybrid Vehicles



EV PAG-Based Mini-EZ™ A/C Injection Kit **NEW!**

► Designed to meet manufacturer specifications for PAG compressors

Product No.	Description
TP9816EV-P3*	(3) 0.25 oz (7 ml) Mini-EZ™ EV/PAG dye cartridges – services 3 vehicles
TP9816EV-P12*	(12) 0.25 oz (7 ml) Mini-EZ™ EV/PAG dye cartridges – services 12 vehicles
TP9817EV-BX*	<ul style="list-style-type: none"> ► TP9816EV-P3 (3) 0.25 oz (7 ml) Mini-EZ™ EV/PAG dye cartridges – services 3 vehicles ► TP9845 EZ-Ject™ dye injector assembly ► TP9813 R-134a coupler (brass, check valve, EV/Hybrid) ► TP28 R-1234yf coupler (brass, check valve, EV/Hybrid)

*Compatible with Hybrid Vehicles



TO MEET INDUSTRY OEM SPECIFICATIONS



Compatible with R-134a & R-1234yf systems

Concentrated formula does not affect the system properties



Each cartridge is individually sealed to protect against moisture

DESIGNED WITH DIELECTRIC PROPERTIES TO ENSURE SAFETY & COMPATIBILITY



R-1234yf/PAG A/C DYE

oem
GRADE

BRIGHTER
DYE
PERFORMANCE

CO-SOLVENT
FREE

R-1234yf/PAG-Based Fluoro-Lite® 5 A/C Dye

For R-1234yf/PAG vehicle air conditioning systems. Use a Tracerline dye injector to add bottled dye into the A/C system.

MEETS
SAE
J2297

BRIGHTER
DYE
PERFORMANCE



SERVICES
UP TO
32

REFILLABLE INJECTOR

INLINE
INJECTOR



TP9883-BX



Product No.	Description
TP3825-8	8 oz (237 ml) R-1234yf/PAG bottle, services up to 32 vehicles
TP9883-BX	Inline Injector, 2 oz (60 ml) capacity. Control valve, R-1234yf hose/coupler & purge fitting.


See price list for all available dye sizes.

R-1234yf/PAG-Based EZ-Ject™ A/C Dye System

- ▶ 0.5 oz (15 ml) cartridge
- ▶ Multi-dose, services up to **14 vehicles**

MEETS
SAE
J2297

BRIGHTER
DYE
PERFORMANCE



TP9824-BX



EACH
SERVICES
UP TO
14

Product No.	Description
TP9825-P3	(3) EZ-Ject™ R-1234yf/PAG cartridges
TP9824-BX	EZ-Ject™ Dye Injection Kit: <ul style="list-style-type: none"> ▶ TP9825 EZ-Ject™ R-1234yf/PAG cartridge ▶ TP9845 EZ-Ject™ dye injector assembly ▶ TP10 R-1234yf hose/coupler & purge fitting

R-1234yf/PAG-Based BigEZ™ A/C Dye System

- ▶ 8 oz (237 ml) cartridge
- ▶ Multi-dose, services up to **64 vehicles**

MEETS
SAE
J2297

BRIGHTER
DYE
PERFORMANCE



TP9792-BX



EACH
SERVICES
UP TO
64

Product No.	Description
TP9725-8	8 oz (237 ml) BigEZ™ R-1234yf/PAG cartridge
TP9792-BX	EZ-Shot™ Dye Injection Kit: <ul style="list-style-type: none"> ▶ TP9725-8 BigEZ™ R-1234yf/PAG cartridge ▶ TP9749 EZ-Shot™ caulk gun-style dye injector assembly ▶ TP12 R-1234yf hose/coupler with BigEZ™ adapter & purge fitting

Recommended Dye Dosage:

	Product No.	Standard Dosage
Fluoro-Lite® 5 Bottled Dye	TP3825	0.25 oz (7 ml)⓪ per 5 lbs (2 kg) of refrigerant or 10 oz (300 ml) of lubricant
EZ-Ject™ Cartridge	TP9825	0.035 oz (1 ml)⓪ per 2.5 lbs (1 kg) of refrigerant or 5 oz (150 ml) of lubricant
BigEZ™ Cartridge	TP9725	0.125 oz (3.7 ml)⓪ per 2.5 lbs (1 kg) of refrigerant or 5 oz (150 ml) of lubricant

⓪Equivalent to 1 line on bottle/cartridge

R-134a/PAG A/C DYE

oem
GRADE

BRIGHTER
DYE
PERFORMANCE

CO-SOLVENT
FREE

R-134a/PAG-Based Fluoro-Lite® 5 A/C Dye


For R-134a/PAG vehicle air conditioning systems. Use a Tracerline dye injector to add bottled dye into the A/C system.

MEETS
SAE
J2297

BRIGHTER
DYE
PERFORMANCE



REFILLABLE INJECTOR



Product No.	Description
TP3820-8	8 oz (237 ml) R-134a/PAG bottle, services up to 32 vehicles
TP9882-BX	Inline Injector, 2 oz (60 ml) capacity. Control valve, R-134a hose/coupler & purge fitting.

See price list for all available dye sizes.


SERVICES
UP TO
32

R-134a/PAG-Based EZ-Ject™ A/C Dye System

- ▶ 0.5 oz (15 ml) cartridge
- ▶ Multi-dose, services up to **14 vehicles**

MEETS
SAE
J2297

BRIGHTER
DYE
PERFORMANCE



Product No.	Description
TP9860-P6	(6) EZ-Ject® R-134a/PAG cartridges
TP9848-BX	EZ-Ject™ Dye Injection Kit: <ul style="list-style-type: none"> ▶ TP9860 EZ-Ject® R-134a/PAG cartridge ▶ TP9845 EZ-Ject® dye injector assembly ▶ TP9847 R-134a hose/coupler & purge fitting


EACH
SERVICES
UP TO
14

R-134a/PAG-Based BigEZ™ A/C Dye System


- ▶ 8 oz (237 ml) cartridge
- ▶ Multi-dose, services up to **64 vehicles**

MEETS
SAE
J2297

BRIGHTER
DYE
PERFORMANCE



HIGH-VOLUME DOSING



Product No.	Description
TP9760-8	8 oz (237 ml) BigEZ® R-134a/PAG cartridge
TP9793-BX	EZ-Shot™ Dye Injection Kit: <ul style="list-style-type: none"> ▶ TP9760-8 BigEZ® R-134a/PAG cartridge ▶ TP9749 EZ-Shot™ caulk gun-style dye injector assembly ▶ TP9747 18 in (46 cm) R-134a hose/coupler with BigEZ® adapter & purge fitting

EACH
SERVICES
UP TO
64

Recommended Dye Dosage:

	Product No.	Standard Dosage
Fluoro-Lite® 5 Bottled Dye	TP3820	0.25 oz (7 ml) per 5 lbs (2 kg) of refrigerant or 10 oz (300 ml) of lubricant
EZ-Ject™ Cartridge	TP9860	0.035 oz (1 ml) per 2.5 lbs (1 kg) of refrigerant or 5 oz (150 ml) of lubricant
BigEZ™ Cartridge	TP9760	0.125 oz (3.7 ml) per 2.5 lbs (1 kg) of refrigerant or 5 oz (150 ml) of lubricant

①Equivalent to 1 line on bottle/cartridge

UNIVERSAL/ESTER A/C DYE



Universal/Ester-Based Fluoro-Lite® 5 A/C Dye

For all vehicle air conditioning systems. Use a Tracerline dye injector to add bottled dye into the A/C system.




REFILLABLE INJECTOR

INLINE INJECTOR



TP9882-BX




Product No.	Description
TP3840-8	8 oz (237 ml) Universal/Ester bottle, services up to 32 vehicles
TP9882-BX	Inline Injector, 2 oz (60 ml) capacity. Control valve, R-134a hose/coupler & purge fitting.

See price list for all available dye sizes.



Universal/Ester-Based EZ-Ject™ A/C Dye System

- ▶ 0.5 oz (15 ml) cartridge
- ▶ Multi-dose, services up to **14 vehicles**
- ▶ Treats R-134a and R-1234yf systems



TP9841-BX

MULTI-DOSE



Product No.	Description
TP9870-P6	(6) EZ-Ject® universal/ester cartridges
TP9841-BX	EZ-Ject® Dye Injection Kit: <ul style="list-style-type: none"> ▶ TP9870 EZ-Ject® universal/ester cartridge ▶ TP9845 EZ-Ject® dye injector assembly ▶ TP9847 R-134a hose/coupler & purge fitting ▶ TP9831 R-1234yf adapter

Universal/Ester-Based BigEZ™ A/C Dye System

- ▶ 8 oz (237 ml) cartridge
- ▶ Multi-dose, services up to **64 vehicles**
- ▶ Treats R-134a and R-1234yf systems



TP9790-BX

HIGH-VOLUME DOSING



Product No.	Description
TP9770-8	8 oz (237 ml) BigEZ® universal/ester cartridge
TP9790-BX	EZ-Shot® Dye Injection Kit: <ul style="list-style-type: none"> ▶ TP9770-8 8 oz (237 ml) BigEZ® universal/ester cartridge ▶ TP9749 EZ-Shot® caulking gun-style dye injector assembly ▶ TP9747 18 in (46 cm) R-134a hose/coupler with BigEZ® adapter & purge fitting ▶ TP9831 R-1234yf adapter

Recommended Dye Dosage:

	Product No.	Standard Dosage
Fluoro-Lite® 5 Bottled Dye	TP3840	0.25 oz (7 ml)Ⓣ per 5 lbs (2 kg) of refrigerant or 10 oz (300 ml) of lubricant
EZ-Ject™ Cartridge	TP9870	0.035 oz (1 ml)Ⓣ per 2.5 lbs (1 kg) of refrigerant or 5 oz (150 ml) of lubricant
BigEZ™ Cartridge	TP9770	0.125 oz (3.7 ml)Ⓣ per 2.5 lbs (1 kg) of refrigerant or 5 oz (150 ml) of lubricant

ⓉEquivalent to 1 line on bottle/cartridge

COOLANT UV DYES

oem
GRADE

BRIGHTER
DYE
PERFORMANCE

CO-SOLVENT
FREE

RITE-BLEND™ Universal Coolant UV Dye



- ▶ Compatible with conventional & extended-life coolants
- ▶ OEM-grade formula won't alter coolant color
- ▶ Fluoresces yellow-green
- ▶ Dosage: 1 oz (30 ml) per 6 gal (23 L)



Product No.	Description
TP-3940-0008	8 oz (237 ml) bottle, services up to 8 vehicles

See price list for all available dye sizes.

Standard Coolant UV Dye



- ▶ Compatible with all conventional coolants
- ▶ Fluoresces yellow-green
- ▶ Dosage: 1 oz (30 ml) per 6 gal (23 L)



Product No.	Description
TP-3900-0008	8 oz (237 ml) bottle, services up to 8 vehicles

NOTE: May alter the original color of the coolant

See price list for all available dye sizes.

OIL-BASED UV DYES

oem
GRADE

BRIGHTER
DYE
PERFORMANCE

CO-SOLVENT
FREE

Universal Oil-Based UV Dye

- ▶ Patented, full-spectrum formulation
- ▶ Works with all leak detection flashlights
- ▶ Fluoresces yellow-green



Product No.	Description
TP3400-8	8 oz (237 ml) bottle, services up to 8 vehicles

See price list for all available dye sizes.

For all circulating oil-based fluid systems

Fluid Applications | Suggested Dosage

Engine Oil (includes Synthetics)	
Gasoline	1 oz (30 ml) per 4-6 qt (4-6 L)
Diesel	1 oz (30 ml) per 4 qt (4 L)
Power Steering	1 oz (30 ml) per 4 qt (4 L)
Automatic Transmission	1 oz (30 ml) per 6 qt (6 L)
Fuel (Gasoline + Diesel)	1 oz (30 ml) per 6-9 gal (23-34 L)
Hydraulics* (Synthetic- or Petroleum-Based)	
Light-to-Medium Colored	1 oz (30 ml) per 2-3 gal (7.5-11 L)
Very Dark or Intensely Blue	1 oz (30 ml) per 2-3 qt (2-3 L)

*Not for use in brake systems

Universal Oil-Based MULTI-COLOR UV Dye

- ▶ Color-coded dyes simplify leak detection across systems
- ▶ Works with all leak detection flashlights
- ▶ Effective even in dirty or dark diesel



Product No.	Description
TP3320-8	8 oz (237 ml) bottle, fluoresces white, services up to 8 vehicles
TP3340-8	8 oz (237 ml) bottle, fluoresces blue, services up to 8 vehicles
TP-3380-0008	8 oz (237 ml) bottle, fluoresces yellow, services up to 8 vehicles

See price list for all available dye sizes.

For all circulating oil-based fluid systems

Fluid Applications | Suggested Dosage

Engine Oil (includes Synthetics)	
Gasoline	1 oz (30 ml) per 8-12 qt (8-12 L)
Diesel	1 oz (30 ml) per 8 qt (8 L)
Power Steering	1 oz (30 ml) per 8 qt (8 L)
Automatic Transmission	1 oz (30 ml) per 12 qt (12 L)
Fuel (Gasoline + Diesel)	1 oz (30 ml) per 12-18 gal (45-68 L)
Hydraulics* (Synthetic- or Petroleum-Based)	
Light-to-Medium Colored	1 oz (30 ml) per 8 gal (30 L)
Very Dark or Intensely Blue	1 oz (30 ml) per 4 gal (15 L)

*Not for use in brake systems

VIOLET LED FLASHLIGHT | OPTI-PRO™ UV MAX



OPTI-PRO™ UV MAX R TPOPUVMR

- ▶ Rechargeable with **35 ft spot beam range** for wide system scans
- ▶ Ideal for frequent use and pinpoint leak detection

LAMP SPECIFICATIONS

Run Time 5+ hours
(depending on power mode and usage)

Charge Time 5 hours

- 35 ft (10.5 m) RANGE**
- USB RECHARGEABLE LI-ION BATTERY**
- POWERFUL BEAM**
- ADJUSTABLE FOCUS LENS**
- HIGH/LOW LIGHT**
- STROBE LIGHT**



OPTI-PRO™ UV MAX TPOPUVM

- ▶ Battery-powered with **30 ft spot beam** for quick inspections
- ▶ Perfect for portable, on-demand leak detection in tight spaces

LAMP SPECIFICATIONS


Run Time 5+ hours
(depending on power mode and usage)

- 30 ft (9 m) RANGE**
- 3 AA BATTERIES INCLUDED**
- POWERFUL BEAM**
- ADJUSTABLE FOCUS LENS**
- HIGH/LOW LIGHT**
- STROBE LIGHT**



**SPOT POWER BEAM PROFILE
POWERFUL COVERAGE**

MAX POWER



VIOLET LED FLASHLIGHT | OPTI-PRO™ UV



STROBE LIGHT:

Enhances dye contrast to reveal multiple leaks at once, helps spot leaks across the system more easily.



ADJUSTABLE FOCUS LENS:

Switch between narrow beam for pinpoint leaks and wide beam to scan larger areas and reduce glare.



OPTI-PRO™ UV PLUS TPOPUV

- ▶ Rechargeable with 25 ft range and high-output beam
- ▶ Combines portability with extended-use efficiency

LAMP SPECIFICATIONS

Run Time	5+ hours <i>(depending on power mode and usage)</i>
Charge Time	5 hours



25 ft (7.5 m)
RANGE



USB
RECHARGEABLE
LI-ION BATTERY



ADJUSTABLE
FOCUS LENS



HIGH/LOW
LIGHT



STROBE
LIGHT



TP9940 - Fluorescence-enhancing glasses help to reduce glare and enhance leak detection results. Protect your eyes from glare, debris, and fluid.



OPTI-PRO™ UV TPOUV

- ▶ Compact, battery-powered with 20 ft beam range
- ▶ Reliable entry-level lamp for basic leak detection

LAMP SPECIFICATIONS

Run Time	4 hours
----------	---------



20 ft (6 m)
RANGE



3 AAA BATTERIES
INCLUDED



ADJUSTABLE
FOCUS LENS



UV LED FLASHLIGHT

LeakTracker™ MINI UV LED FLASHLIGHT TPLTM

Rugged, compact UV flashlight designed to illuminate all UV dyes, even in the dirtiest diesel oil. IP68-rated for superior water and dust resistance.

LAMP SPECIFICATIONS

Light Source	UV LED
Range	Up to 25 ft (8 m)
Battery	3 AAA (included)
Run Time	6 hours (continuous)
Glasses	UV-absorbing



FLUORESCES
ALL DYES



UV
LED



6 HOUR
RUNTIME



25 FT (8 m)
RANGE



IP68
RATED



3 AAA
BATTERIES
INCLUDED



COLOR-CODED
DYES

TOTAL SYSTEM
COVERAGE

FLUORESCES ALL
DYE COLORS

Scan all fluid systems
in one service call
with the TPLTM leak
detection flashlight.



HEAVY-DUTY / FLEET

oem
GRADE

BRIGHTER
DYE
PERFORMANCE

CO-SOLVENT
FREE

UNIVERSAL/ESTER

oem
GRADE BRIGHTER
DYE
PERFORMANCE CO-SOLVENT
FREE

COMPLETE SERVICE KIT

Universal/Ester-Based - Heavy-Duty/Fleet Complete EZ-Ject™ Multi-System Kit

Fleet-ready solution for diagnosing leaks across **R-134a, R-1234yf, oil, and coolant systems**. Services up to **28 vehicles** with universal dyes, adapters, and a cordless UV flashlight for fast, efficient detection.

TPOPUV57HD

- ▶ TPOPUV OPTI-PRO™ UV cordless, violet light LED leak detection flashlight
- ▶ TP9870 (2) 0.5 oz (15 ml) EZ-Ject™ universal/ester A/C UV dye, services up to **28 vehicles**
- ▶ TP3400-8 8 oz (237 ml) oil-based fluid UV dye, services up to **8 vehicles**
- ▶ TP-3900-0008 8 oz (237 ml) standard coolant UV dye, services up to **8 vehicles**
- ▶ TP9845 EZ-Ject™ dye injector assembly
- ▶ TP9847 R-134a hose/coupler & purge fitting
- ▶ TP19 2 oz (60 ml) spray bottle of GLO-AWAY™ Plus fluorescent dye cleaner
- ▶ TP9831 R-1234yf adapter

SERVICES
UP TO
28
A/C
SYSTEMS



UP TO
20ft
(6m)
Inspection
Range

3x
AAA
Batteries
Included



Fluorescence
Enhancing



GLO-AWAY™
Plus +



Underhood
Labels



R-1234yf
Adapter

OIL-BASED UV DYES

oem
GRADE BRIGHTER
DYE
PERFORMANCE CO-SOLVENT
FREE

FLUID SERVICE KIT

Universal Oil-Based - Heavy-Duty/Fleet MULTI-COLOR UV Dye Kit

Professional-grade kit for fleet and heavy-duty use. Features **multi-color dyes** to isolate leaks in **oil, fuel, power steering, and transmission lines**, covering up to **32 vehicle systems** with clear, fast results.

TPLTM93HD

- ▶ TPLTM LeakTracker™ MINI UV LED cordless, leak detection flashlight
- ▶ TP3320-8 8 oz (237 ml) bottle of dye for all circulating oil-based fluids, fluoresces **white**, services up to **8 vehicles**
- ▶ TP3340-8 8 oz (237 ml) bottle of dye for all circulating oil-based fluids, fluoresces **blue**, services up to **8 vehicles**
- ▶ TP-3380-0008 8 oz (237 ml) bottle dye for all circulating oil-based fluids, fluoresces **yellow**, services up to **8 vehicles**
- ▶ TP-3900-0008 8 oz (237 ml) bottle of Standard Coolant dye, fluoresces **yellow-green**, services up to **8 vehicles**

SERVICES
UP TO
32
VEHICLE
SYSTEMS



UP TO
25ft
(8m)
Inspection
Range

3x
AAA
Batteries
Included



UV-absorbing
Glasses



Underhood
Labels

NOTE: TPLTM93HD replaces TPUV93HD



Marksman™ II
ULTRASONIC DIAGNOSTIC TOOL
TP-9367L

SOUND SIGNATURE TECHNOLOGY 

Advanced heterodyne circuitry and "sound signature technology" to convert and amplify inaudible ultrasonic sounds into audible "natural" sounds.



Provides quick diagnosis of leaks and defects before they become major breakdowns!



SCAN TO LEARN MORE

- ▶ 5-LED signal intensity indicator and audible alarm easily find exact problem source
- ▶ Self-adjusting Automatic Gain Control (AGC) circuitry enhances sensitivity and simplifies operation
- ▶ **Laser pointer** to help pinpoint the source of pressurized leaks
- ▶ Adjustable touch-control sensitivity pad and power switch

- ▶ Internal Noise Control (INC) ensures that tool is unaffected by ambient noise
- ▶ Checks for electrical discharge associated with insulation breakdown, carbon tracking and arcing
- ▶ Unique ultrasonic emitter helps locate faulty seals, gaskets and weather stripping in passenger cabs, trailers and other non-pressurized enclosures



APPLICATIONS:

- ▶ Automotive
- ▶ Heavy-duty trucks
- ▶ Air conditioning
- ▶ Refrigeration

IDEAL FOR DETECTING:


- ▶ Air brake leaks
- ▶ Compressed air leaks
- ▶ Vacuum leaks
- ▶ Tire leaks
- ▶ Gear and bearing wear
- ▶ Electrical discharge
- ▶ Exhaust leaks
- ▶ Refrigerant leaks



FREQUENCY RESPONSE
36,000 - 44,000 HZ

TRACER PRODUCTS

THE GLOBAL STANDARD IN UV LEAK DETECTION.



OEM

The only UV dye trusted and approved by OEMs for assembly line installation, ensuring leak detection quality from day one.



OES & AFTERMARKET

Factory-trusted dye, now used in dealership service and aftermarket diagnostics.



TRUSTED

Installed in over 350 million vehicles, trusted by the world's leading automakers.



TRACER PRODUCTS
A Division of Spectronics Corporation

265 Spagnoli Rd, #100, Melville, NY 11747
(800) 641.1133 | +1 (516) 333.1254
Orders@TracerProducts.com
CustomerService@TracerProducts.com
www.TracerProducts.com



Scan to learn more

